

Part I: Description of consignment	I.1. Consignor		I.2. IMSOC reference		I.2.a. Local reference		
	Name				I.3. Central Competent Authority		
	Address						
	Country		ISO Code		I.4. Local Competent Authority		
	I.5. Consignee			I.6. Operator conducting assembly operations independently of an establishment			
	Name			Name			
	Address			Address			
	Country			Country			
	ISO Code			Approval Number			
				ISO Code			
I.7. Country of origin		ISO Code		I.9. Country of destination		ISO Code	
I.8. Region of origin		Code		I.10. Region of destination		Code	
I.11. Place of dispatch			I.12. Place of destination				
Name			Name				
Address			Address				
Approval Number			Approval Number				
Country			Country			ISO Code	
ISO Code							
I.13. Place of loading			I.14. Date and time of departure				
Name							
Address							
Approval Number							
Country						ISO Code	
ISO Code							
I.15. Means of Transport			I.16. Transporter				
Mode	International transport document	Identification	Name				
			Address				
			Approval Number				
			Country			ISO Code	
			I.17. Accompanying documents				
			Document Type				
			Accompanying document reference				
			Date of Issue				
			Country				
			Place of issue				
I.18. Transport conditions							
Chilled <input type="checkbox"/>		Ambient <input type="checkbox"/>		Frozen <input type="checkbox"/>			
I.19. Container No / Seal No							
I.20. Certified as							
Germinal products <input type="checkbox"/>							
I.21. For transit through a third country <input type="checkbox"/>							
Third country		ISO Code					
Exit point		BCP code					
Entry point		BCP code					
I.22. For transit through Member State(s) <input type="checkbox"/>			I.23. For export <input type="checkbox"/>				
Member State		ISO Code		Third country		ISO Code	
				Exit point		BCP code	
I.24. Estimated journey time			I.25. Journey Log				
I.26. Total number of packages		I.27. Total quantity		I.28. Total gross weight			
I.30. Description of consignment							
1. 05 PRODUCTS OF ANIMAL ORIGIN, NOT ELSEWHERE SPECIFIED OR INCLUDED							
0511 Animal products not elsewhere specified or included; dead animals of Chapter 1 or 3, unfit for human consumption							
051110 Bovine semen							
05111000 Bovine semen							

#1.	Commodity	Identification Number	Quantity	Nature of commodity	Identification Mark
	Species	Package count	Date of collection / production	Plant / Establishment / Centre	
Part I: Description of consignment					

	II. Health information		
Part II: Certification	I, the undersigned official veterinarian, hereby certify that:		
	II.1.	The semen of bovine animals described in Part I	
	II.1.1.	has been collected, processed and stored, and dispatched from the semen collection centre (1) which is approved and kept in a register by the competent authority;	
	II.1.2.	has been collected, processed and stored, and dispatched from the semen collection centre (1) which complies with requirements as regards responsibilities, operational procedures, facilities and equipment set out in Part 1 of Annex I to Commission Delegated Regulation (EU) 2020/686;	
	(2) either	○ [II.1.3.	is dispatched from a semen collection centre or a zone not subject to movement restrictions affecting bovine animals and established for reasons of listed diseases relevant for those species or diseases subject to emergency measures relevant for those species, or those restrictions do not apply to this semen because it was collected before the restrictions were established, and the semen has not been in contact with other semen of a lower health status for an adequate period.]
	(2) or	○ [II.1.3.	is dispatched from a semen collection centre or a zone subject to movement restrictions affecting bovine animals and established for (3), but derogations from movement restrictions have been granted, and:
	(2)	<input type="checkbox"/>	[it complies with the requirements set out in (4);]
	(2)	<input type="checkbox"/>	[and in particular, it is (5).]
	II.2.	The semen described in Part I is intended for artificial reproduction and was obtained from donor animals which:	
	II.2.1.	have been born and remained since birth in the Union, or have entered the Union in accordance with the requirements for entry into the Union;	
	II.2.2.	come, before the date of commencement of the quarantine referred to in point II.2.6, from establishments in a Member State or zone thereof, or from establishments under official control by the competent authority in a third country or territory, or a zone thereof:	
		II.2.2.1.	situated in an area where foot and mouth disease has not been reported within a 10-km radius centred on the establishment for at least 30 days and in which foot and mouth disease has not been reported during at least 3 months, and:
	(2)	○ either	[the donor animals were not vaccinated against foot and mouth disease;]
	(2)	○ or	[the donor animals were vaccinated against foot and mouth disease during the 12 months prior to the date of collection of the semen but not during the last 30 days immediately prior to the date of collection of the semen, and 5 % (with a minimum of five straws) of each quantity of semen taken from the donor animals at any time is submitted to a virus isolation test for foot and mouth disease with negative results;]
		II.2.2.2.	free from infection with Mycobacterium tuberculosis complex (M. bovis, M. caprae and M. tuberculosis), and the donor animals have never been kept previously in any establishment of a lower health status;
	II.2.2.3.	free from infection with Brucella abortus, B. melitensis and B. suis, and the donor animals have never been kept previously in any establishment of a lower health status;	
(2)	○ either	[II.2.2.4. free from enzootic bovine leukosis, and the donor animals have never been kept previously in any establishment of a lower health status;]	
(2)	○ or	[II.2.2.4. not free from enzootic bovine leukosis and the donor animals are younger than 2 years of age and have been produced by dams which have been subjected, with negative results, to a serological test for enzootic bovine leukosis after removal of the animal from the dam;]	
(2)	○ or	[II.2.2.4. not free from enzootic bovine leukosis and the donor animals have reached the age of 2 years and have been subjected, with a negative result, to a serological test for enzootic bovine leukosis;]	
(2)	○ either	[II.2.2.5. free from infectious bovine rhinotracheitis/infectious pustular	

Part II: Certification	II. Health information			
	(2)	○ or	[II.2.2.5. vulvovaginitis, and the donor animals have never been kept previously in any establishment of a lower health status;]	
	(2)	II.2.2.5.	not free from infectious bovine rhinotracheitis/infectious pustular vulvovaginitis and the donor animals have been subjected, with a negative result, to a serological test (whole virus) on a blood sample;]	
	(2)	II.2.2.6.	in which surra (<i>Trypanosoma evansi</i>) has not been reported during the last 30 days, and:	
		○ either	[surra has not been reported in the establishments during the last 2 years.]	
	(2)	○ or	[surra has been reported in the establishments during the last 2 years and following the date of the last outbreak, the affected establishments have remained under movement restrictions until the date on which the infected animals have been removed from the establishment, and the remaining animals in the establishment have been subjected to a test for surra with one of the diagnostic methods provided for in Part 3 of Annex I to Commission Delegated Regulation (EU) 2020/688, carried out, with negative results, on samples taken at least 6 months following the date on which the infected animals have been removed from the establishment;]	
	II.2.3.		did not show symptoms or clinical signs of transmissible animal diseases on the date of their admission to a semen collection centre and on the date of collection of the semen;	
	II.2.4.		are individually identified as provided for in Article 38 of Commission Delegated Regulation (EU) 2019/2035;	
	II.2.5.		for at least 30 days prior to the date of first collection of the semen and during the collection period:	
		II.2.5.1.	were kept in establishments situated in a zone not subject to movement restrictions established due to the occurrence of foot and mouth disease, infection with rinderpest virus, infection with Rift Valley fever virus, contagious bovine pleuropneumonia or lumpy skin disease, or of an emerging disease relevant for bovine animals;	
	II.2.5.2.	were kept in a single establishment where infection with <i>Brucella abortus</i> , <i>B. melitensis</i> and <i>B. suis</i> , infection with <i>Mycobacterium tuberculosis</i> complex (<i>M. bovis</i> , <i>M. caprae</i> and <i>M. tuberculosis</i>), rabies, anthrax, surra (<i>Trypanosoma evansi</i>), enzootic bovine leukosis, infectious bovine rhinotracheitis/infectious pustular vulvovaginitis, bovine viral diarrhoea, infection with epizootic haemorrhagic disease virus, infection with bluetongue virus (serotypes 1-24), bovine genital campylobacteriosis and trichomonosis have not been reported;		
	II.2.5.3.	were not in contact with animals from establishments situated in a zone subject to movement restrictions due to the occurrence of diseases referred to in point II.2.5.1 or from establishments which do not meet the conditions referred to in point II.2.5.2;		
	II.2.5.4.	were not used for natural breeding;		
II.2.6.		have been subjected to a quarantine for at least 28 days in quarantine accommodation, where only other cloven-hoofed animals with at least the same health status were present, which on the date of admission of the donor animals to the semen collection centre complied with the following conditions:		
	II.2.6.1.	it was situated in a zone not subject to movement restrictions established due to diseases referred to in point II.2.5.1 or it was under derogation as referred to in point II.1.3, if applicable;		
	II.2.6.2.	none of the diseases referred to in point II.2.5.2 has been reported for at least 30 days;		
	II.2.6.3.	it was situated in an area where foot and mouth disease has not been reported within a 10-km radius centred on the quarantine accommodation for at least 30 days;		

Part II: Certification	II. Health information			
		II.2.6.4.	it has had no outbreak of foot and mouth disease reported during at least 3 months prior to the date of admission of the donor animals into the semen collection centre;	
		II.2.7.	were kept in the semen collection centre:	
		II.2.7.1.	which was situated in a zone not subject to movement restrictions established due to diseases referred to in point II.2.5.1 or it was under derogation as referred to in point II.1.3, if applicable;	
		II.2.7.2.	where none of the diseases referred to in point II.2.5.2 has been reported for at least 30 days prior to the date of collection of the semen, and:	
	(2)(6)	<input type="checkbox"/>	[at least 30 days following the date of the collection;]	
	(2)(7)	<input type="checkbox"/>	[until the date of dispatch of the consignment of semen to another Member State;]	
		II.2.7.3.	situated in an area where foot and mouth disease has not been reported within a 10-km radius centred on the semen collection centre for at least 30 days;	
		II.2.8.	comply with at least one of the following conditions as regards infection with bluetongue virus (serotypes 1-24):	
	(2)	<input type="checkbox"/> either	[II.2.8.1. they have been kept for at least 60 days prior to and during collection of the semen in a Member State or zone thereof free from infection with bluetongue virus (serotypes 1-24) where no case of infection with bluetongue virus (serotypes 1-24) has been confirmed during the preceding 24 months in the targeted animal population;]	
	(2)	<input type="checkbox"/> or	[II.2.8.2. they have been kept in a seasonally disease-free zone, during the seasonally disease-free period, for at least 60 days prior to and during collection of the semen, in a Member State or zone thereof with an approved eradication programme against infection with bluetongue virus (serotypes 1-24);]	
	(2)	<input type="checkbox"/> or	[II.2.8.3. they have been kept in a seasonally disease-free zone, during the seasonally disease-free period, for at least 60 days prior to and during collection of the semen, in a Member State or zone thereof where the competent authority of the place of origin of the consignment of semen has obtained the prior written consent of the competent authority of the Member State of destination to the conditions for establishment of that seasonally disease-free zone and to accept the consignment of semen;]	
	(2)	<input type="checkbox"/> and/or	[II.2.8.4. they have been kept in a vector protected establishment for at least 60 days prior to and during collection of the semen;]	
	(2)	<input type="checkbox"/> and/or	[II.2.8.5. they have been subjected to a serological test to detect antibodies to the bluetongue virus serotypes 1-24, with negative results, between 28 and 60 days from the date of each collection of the semen;]	
	(2)	<input type="checkbox"/> and/or	[II.2.8.6. they have been subjected to an agent identification test for bluetongue virus (serotypes 1-24), with negative results, on blood samples taken at commencement and final collection of the semen and during collection of the semen at intervals of at least every 7 days, in the case of the virus isolation test, or of at least every 28 days, in the case of PCR;]	
	II.2.9.	comply with at least one of the following conditions as regards infection with epizootic haemorrhagic disease virus (EHDV):		
(2)	<input type="checkbox"/> either	[II.2.9.1. they have been kept for at least 60 days prior to and during collection of the semen in a Member State or zone thereof where EHDV has not been reported for at least 2 years within a radius of 150 km of the establishment;]		
(2)	<input type="checkbox"/> or	[II.2.9.2. they have been kept in a seasonally disease-free zone, during the seasonally disease-free period, for at least 60 days prior to and during collection of the semen;]		
(2)	<input type="checkbox"/> and/or	[II.2.9.3. they have been kept in a vector protected establishment for at least 60 days prior to and during collection of the semen;]		
(2) and/or	<input type="checkbox"/>	were resident in the Member State in which according to official findings the following		

Part II: Certification	II. Health information			
		[II.2.9.4. serotypes of EHDV exist: and have been subjected with negative results in each case to the following tests carried out in an official laboratory:		
	(2)	<input type="checkbox"/> either [II.2.9.4.1. a serological test to detect antibodies to EHDV, with negative results, at least every 60 days throughout the collection period and between 28 and 60 days from the date of the final collection of the semen;]		
	(2)	<input type="checkbox"/> and/or [II.2.9.4.2. an agent identification test for EHDV, with negative results, on blood samples taken at the commencement and final collection of the semen and during the collection of the semen at intervals of at least every 7 days, in the case of virus isolation test, or of at least every 28 days, in the case of PCR.]]		
		II.2.10. have been subjected to the following tests, carried out on blood samples taken within 30 days prior to the date of commencement of the quarantine referred to in point II.2.6, with negative results, except for the bovine viral diarrhoea antibody test referred to in point II.2.10.5.2, required in accordance with Part 1, Chapter I, point 1(b), of Annex II to Delegated Regulation (EU) 2020/686:		
		II.2.10.1. for infection with Mycobacterium tuberculosis complex (M. bovis, M. caprae and M. tuberculosis), an intradermal tuberculin test referred to in Part 2, point 1, of Annex I to Delegated Regulation (EU) 2020/688;		
		II.2.10.2. for infection with Brucella abortus, B. melitensis and B. suis, a serological test referred to in Part 1, point 1, of Annex I to Delegated Regulation (EU) 2020/688;		
	(2)(8)	<input type="checkbox"/> for enzootic bovine leukosis, a serological test referred to in Part 4, point (a), of [II.2.10.3. Annex I to Delegated Regulation (EU) 2020/688;]		
		II.2.10.4. for infectious bovine rhinotracheitis/infectious pustular vulvovaginitis, a serological test (whole virus) on a blood sample if the animals do not come from an establishment free from infectious bovine rhinotracheitis/infectious pustular vulvovaginitis;		
		II.2.10.5. for bovine viral diarrhoea:		
	II.2.10.5.1. a virus isolation test, a test for virus genome or a test for virus antigen, and			
	II.2.10.5.2. a serological test to determine the presence or absence of antibodies;			
	II.2.11. have been subjected to the following tests, carried out on samples taken at least 21 days, or 7 days in the case of the tests referred to in points II.2.11.4 and II.2.11.5, after the commencement of the quarantine referred to in point II.2.6, with negative results, except for the bovine viral diarrhoea antibody test referred to in point II.2.11.3.2, required in accordance with Part 1, Chapter I, point 1(c), of Annex II to Delegated Regulation (EU) 2020/686:			
	II.2.11.1. for infection with Brucella abortus, B. melitensis and B. suis, a serological test referred to in Part 1, point 1, of Annex I to Delegated Regulation (EU) 2020/688;			
	II.2.11.2. for infectious bovine rhinotracheitis/infectious pustular vulvovaginitis, a serological test (whole virus) on a blood sample;			
	II.2.11.3. for bovine viral diarrhoea:			
	II.2.11.3.1. a virus isolation test, a test for virus genome or a test for virus antigen, and			
	II.2.11.3.2. a serological test to determine the presence or absence of antibodies;			
	II.2.11.4. for bovine genital campylobacteriosis (Campylobacter fetus ssp. venerealis):			
(2)	<input type="checkbox"/> either [II.2.11.4.1. a single test carried out on a sample of artificial vagina washings or preputial specimen, in the case of animals less than 6 months old or kept since that age in a single sex group without contact with females prior to the quarantine referred to in point II.2.6.;			
(2)	<input type="checkbox"/> and/or [II.2.11.4.2. tests carried out on samples of artificial vagina washings or			

Part II: Certification	II. Health information			
			preputial specimens taken on three occasions at intervals of at least 7 days;]	
		II.2.11.5.	for trichomonosis (<i>Trichomonas foetus</i>):	
	(2)	<input type="checkbox"/>	II.2.11.5.1.	a single test carried out on a sample of preputial specimen, in the case of animals less than 6 months old or kept since that age in a single sex group without contact with females prior to the quarantine referred to in point II.2.6.;
	(2)	<input type="checkbox"/>	II.2.11.5.2.	tests carried out on preputial specimens taken on three occasions at intervals of at least 7 days;]
	II.2.12.	have been subjected at semen collection centre, at least once a year, to the following compulsory routine tests, required in accordance with Part 1, Chapter I, point 2, of Annex II to Delegated Regulation (EU) 2020/686:		
		II.2.12.1.	for infection with <i>Mycobacterium tuberculosis</i> complex (<i>M. bovis</i> , <i>M. caprae</i> and <i>M. tuberculosis</i>), an intradermal tuberculin test referred to in Part 2, point 1, of Annex I to Delegated Regulation (EU) 2020/688;	
		II.2.12.2.	for infection with <i>Brucella abortus</i> , <i>B. melitensis</i> and <i>B. suis</i> , a serological test referred to in Part 1, point 1, of Annex I to Delegated Regulation (EU) 2020/688;	
		II.2.12.3.	for enzootic bovine leukosis, a serological test referred to in Part 4, point (a), of Annex I to Delegated Regulation (EU) 2020/688;	
		II.2.12.4.	for infectious bovine rhinotracheitis/infectious pustular vulvovaginitis, a serological test (whole virus) on a blood sample;	
(2)(9)	<input type="checkbox"/>	II.2.12.5.	for bovine viral diarrhoea, a serological test for detection of an antibody;]	
(2)(10)	<input type="checkbox"/>	II.2.12.6.	for bovine genital campylobacteriosis (<i>Campylobacter fetus</i> ssp. <i>venerealis</i>), a test on a sample of preputial specimen;]	
(2)(10)	<input type="checkbox"/>	II.2.12.7.	for trichomonosis (<i>Trichomonas foetus</i>), a test on a sample of preputial specimen;]	
II.3.	The semen described in Part I:			
	II.3.1.	has been collected, processed and stored in accordance with animal health requirements set out in Part 1, points 1 and 2, of Annex III to Delegated Regulation (EU) 2020/686;		
	II.3.2.	is placed in straws or other packages on which the mark is applied in accordance with requirements provided for in Article 10 of Delegated Regulation (EU) 2020/686 and that mark is indicated in box I.30;		
	II.3.3.	is transported in a container which:		
		II.3.3.1.	was sealed and numbered prior to the date of dispatch from the semen collection centre under responsibility of the centre veterinarian, or by an official veterinarian, and the seal bears the number as indicated in box I.19;	
		II.3.3.2.	has been cleaned and either disinfected or sterilised before use, or is single-use container;	
(2)(6)	<input type="checkbox"/>	II.3.3.3.	has been filled in with a cryogenic agent which has not been previously used for other products.]	
(2)	<input type="checkbox"/>	II.4.	Where an antibiotic or a mixture of antibiotics was added to the semen described in Part I:	
	II.4.1.	The following antibiotic or mixture of antibiotics has been added to the semen after final dilution, or is contained in the used semen diluents:		
	(11).			
II.4.2.	Immediately after the addition of the antibiotic(s), and before any possible freezing, the diluted semen was kept at a temperature of at least 5°C for not less than 45 minutes, or under a time-temperature regime with a documented equivalent bactericidal activity.]			
Notes				

Part II: Certification	II. Health information		
	<p>In accordance with the Agreement on the withdrawal of the United Kingdom of Great Britain and Northern Ireland from the European Union and the European Atomic Energy Community, and in particular Article 5(4) of the Protocol on Ireland/Northern Ireland in conjunction with Annex 2 to that Protocol, references to the Union in this animal health certificate include the United Kingdom in respect of Northern Ireland.</p> <p>This animal health certificate shall be completed in accordance with the notes for the completion of certificates provided for in Chapter 2 of Annex I to Commission Implementing Regulation (EU) 2020/2235.</p> <p>Part I:</p> <p>Box reference I.11 : “Place of dispatch”: Indicate the unique approval number and the name and address of the semen collection centre of dispatch of the consignment of semen.</p> <p>Box reference I.12 : “Place of destination”: Indicate the address and unique registration or approval number of the establishment of destination of the consignment of semen.</p> <p>Box reference I.19 : Seal number shall be indicated.</p> <p>Box reference I.26 : Total number of packages shall correspond to the number of containers.</p> <p>Box reference I.30 : “Type”: Indicate semen.</p> <p>“Species”: Select amongst “Bos taurus”, “Bison bison” or “Bubalus bubalis” as appropriate.</p> <p>“Identification number”: Indicate the identification number of each donor animal.</p> <p>“Identification mark”: Indicate the mark on the straw or other packages where the semen of the consignment is placed.</p> <p>“Date of collection/production”: Indicate the date on which the semen of consignment was collected.</p> <p>“Approval or registration number of plant/establishment/centre”: Indicate the unique approval number of the semen collection centre where the semen of the consignment was collected.</p> <p>“Quantity”: Indicate the number of straws or other packages with the same mark.</p> <p>“Test”: Indicate for BTV-test: point II.2.8.5.and/or point II.2.8.6, and/or for EHD-test: point II.2.9.4.1 and/or point II.2.9.4.2, if relevant.</p> <p>Part II:</p> <p>(1) Only semen collection centres approved by the competent authority and included in the register referred to in Article 101(1), point (b), of Regulation (EU) 2016/429 of the European Parliament and of the Council and Article 7 of Delegated Regulation (EU) 2020/686.</p> <p>(2) Delete if not applicable.</p> <p>(3) Insert the name of the disease(s).</p> <p>(4) Insert the specific reference to the article(s), title, and number of the relevant legal act(s) adopted by the Commission providing for those requirements.</p> <p>(5) Insert the specific attestation(s) provided for in and required by the relevant legal act(s) adopted by the Commission, as referred to in Article 159(2), points (a), (b) and (c), of Regulation (EU) 2016/429.</p> <p>(6) Applicable for frozen semen.</p> <p>(7) Applicable for fresh and chilled semen.</p> <p>(8) Not applicable to animals which come from an establishment not free from enzootic bovine leukosis and which are less than 2 years of age as referred to in Article 20(2), point (a), of Delegated Regulation (EU) 2020/686.</p> <p>(9) Applicable only to seronegative animals.</p> <p>(10) Applicable only to bulls in semen production or having contact with bulls in semen production. Bulls returning to collection after a lay-off period of more than 6 months shall be tested during 30 days prior</p>		

Part II: Certification	II. Health information			
	to resuming production.			
	(11) Insert the name(s) of the antibiotic(s) added and its (their) concentration or the commercial name of the semen diluent containing antibiotic(s).			
Certifying Officer/Official veterinarian		Qualification and title		
Name (in capital letters)		Signature		
Date of declaration				
Stamp				