

Part I: Description of consignment	I.1. Consignor		I.2. IMSOC reference		I.2.a. Local reference	
	Name				I.3. Central Competent Authority	
	Address					
	Country		ISO Code		I.4. Local Competent Authority	
	I.5. Consignee			I.6. Operator conducting assembly operations independently of an establishment		
	Name			Name		
	Address			Address		
	Country			Country		
	ISO Code			Approval Number		
				ISO Code		
I.7. Country of origin			ISO Code		I.9. Country of destination	
					ISO Code	
I.8. Region of origin			Code		I.10. Region of destination	
					Code	
I.11. Place of dispatch			I.12. Place of destination			
Name			Name			
Address			Address			
Approval Number			Approval Number			
Country			Country			
ISO Code			ISO Code			
I.13. Place of loading			I.14. Date and time of departure			
Name						
Address						
Approval Number						
Country						
ISO Code						
I.15. Means of Transport			I.16. Transporter			
Mode	International transport document	Identification	Name			
			Address			
			Approval Number			
			Country			
			ISO Code			
			I.17. Accompanying documents			
			Document Type			
			Accompanying document reference			
			Date of Issue			
			Country			
			Place of issue			
I.18. Transport conditions						
Chilled <input type="checkbox"/>		Ambient <input type="checkbox"/>		Frozen <input type="checkbox"/>		
I.19. Container No / Seal No						
I.20. Certified as						
Germinal products <input type="checkbox"/>						
I.21. For transit through a third country <input type="checkbox"/>						
Third country		ISO Code				
Exit point		BCP code				
Entry point		BCP code				
I.22. For transit through Member State(s) <input type="checkbox"/>			I.23. For export <input type="checkbox"/>			
Member State		ISO Code		Third country		
				ISO Code		
				Exit point		
				BCP code		
I.24. Estimated journey time			I.25. Journey Log			
I.26. Total number of packages		I.27. Total quantity		I.28. Total gross weight		
I.30. Description of consignment						
<b>1. 05 PRODUCTS OF ANIMAL ORIGIN, NOT ELSEWHERE SPECIFIED OR INCLUDED</b>						
0511 Animal products not elsewhere specified or included; dead animals of Chapter   1   or 3, unfit for human consumption						
051199 Other						
05119985 Other						

#1.	Commodity	Identification Number	Quantity	Nature of commodity	Identification Mark
Species	Package count	Date of collection / production	Plant / Establishment / Centre	Type	
<b>Part I: Description of consignment</b>					

<b>Part II: Certification</b>	II. Health information		
	I, the undersigned official veterinarian, hereby certify that:		
II.1.	The semen collection centre (1), in which the semen described in Part I was collected, processed and stored, for trade was approved and supervised by the competent authority in accordance with Chapters I(I)(1) and I(II)(1) of Annex D to Directive 92/65/EEC (2);		
II.1.1.	during the period commencing 30 days prior to the date of first collection of the semen described in Part I until the date the fresh or chilled semen was dispatched or until the 30 days minimum storage period for frozen semen elapsed, the semen collection centre:		
II.1.1.1.	was situated on the territory or in the case of regionalisation in a part of the territory (3) of a Member State which was not considered to be infected with African horse sickness in accordance with Article 5(2)(a) and (b) of Directive 2009/156/EC (4);		
II.1.1.2.	fulfilled the conditions for a holding laid down in Article 4(5) of Directive 2009/156/EC;		
II.1.1.3.	contained only equidae which were free of clinical signs of equine viral arteritis and contagious equine metritis;		
II.2.	Only equidae satisfying the conditions laid down in Articles 4 and 5 or Articles 12 to 16 of Directive 2009/156/EC have been admitted onto the centre.		
II.3.	The semen described in Part I was collected from donor stallions, which:		
II.3.1.	did not show any clinical sign of an infectious or contagious disease at the time of admission onto the semen collection centre and on the day the semen was collected;		
II.3.2.	were kept for a period of 30 days prior to the date of semen collection in holdings where no equine showed any clinical sign of equine viral arteritis or contagious equine metritis during that period;		
II.3.3.	were not used for natural mating during a period of at least 30 days prior to the date of first semen collection and from the dates of the first sample referred to in point II.3.5.1, II.3.5.2 or II.3.5.3 until the end of the collection period;		
II.3.4.	underwent the tests, which meet at least the requirements of the relevant Chapter of the Manual of Diagnostic Tests and Vaccines for Terrestrial Animals of the OIE, carried out in a laboratory which is recognised by the competent authority and has the tests referred to hereinafter included in its accreditation in accordance with Article 12 of Regulation (EC) No 882/2004 (5), as follows:		
II.3.4.1.	for equine infectious anaemia (EIA), an agar-gel immuno-diffusion test (AGID or Coggins test) or an enzyme-linked immunosorbent assay (ELISA) for equine infectious anaemia with a negative result;		
II.3.4.2.	for equine viral arteritis (EVA),		
(3) <input type="checkbox"/>	[II.3.4.2.1. a serum neutralisation test with a negative result at a serum dilution of one in four;]		
either			
(3) <input type="checkbox"/>	[II.3.4.2.2. a virus isolation test, polymerase chain reaction (PCR) or real-time PCR with a negative		
and/or	result on an aliquot of the entire semen of the donor stallion;]		
II.3.4.3.	for contagious equine metritis (CEM), an agent identification test carried out on three specimens (swabs) taken from the donor stallion on two occasions with an interval of not less than 7 days at least from the penile sheath (prepuce), the urethra and the fossa glandis;		
The samples were in no case taken earlier than 7 days (systemic treatment) or 21 days (local treatment) after antimicrobial treatment of the donor stallion and were placed in transport medium with activated charcoal, such as Amies medium, before dispatch to the laboratory where they were subjected with negative result to a test for:			
(3) <input type="checkbox"/>	[II.3.4.3.1. the isolation of <i>Taylorella equigenitalis</i> after cultivation under microaerophilic conditions		
either	for at least 7 days, set up within the 24 hour period after taking the specimens from the		
(3) <input type="checkbox"/>	donor animal, or the 48 hour period where the specimens are kept cool during transport;]		
and/or			
(3) <input type="checkbox"/>	[II.3.4.3.2. the detection of genome of <i>Taylorella equigenitalis</i> by PCR or real-time PCR, carried out		
within the 48 hour period after taking the specimens from the donor animal;]			
II.3.5.	were subjected with the results specified in point II.3.4 in each case to at least one of the test programmes detailed in points II.3.5.1, II.3.5.2 and II.3.5.3, as follows:		
(6) <input type="checkbox"/>	The donor stallion was continuously resident on the semen collection centre for a period of at least 30		
[II.3.5.1.	days prior to the date of the first collection and during the period of collection of the semen described above and no equidae on the semen collection centre came into direct contact with equidae of lower health status than the donor stallion.		

<b>Part II: Certification</b>	II. Health information							
	<p>The tests described in point II.3.4 were carried out on samples taken (7) from the donor stallion at least once a year at the beginning of the breeding season or prior to the first collection of semen intended for trade in fresh, chilled or frozen semen and not less than 14 days following the date of the commencement of the residence period of at least 30 days prior to the date of first semen collection.]</p> <p>(6) <input type="checkbox"/> The donor stallion was resident on the semen collection centre for a period of at least 30 days prior to the date of the first collection and during the period of collection of the semen described in Part I, but has left the centre under the responsibility of the centre veterinarian for a continuous period of less than 14 days, and/or other equidae on the semen collection centre came into direct contact with equidae of lower health status.</p> <p>The tests described in point II.3.4 were carried out on samples taken (7) from the donor stallion at least once a year at the beginning of the breeding season or prior to the first collection of semen intended for trade in fresh, chilled or frozen semen and not less than 14 days following the date of the commencement of the residence period of at least 30 days prior to the date of first semen collection,</p> <p>and during the period of collection of the semen intended for trade in fresh, chilled or frozen semen the donor stallion was subjected to the tests described in point II.3.4, as follows:</p> <p>(a) for equine infectious anaemia, one of the tests described in point II.3.4.1 was last carried out on a sample of blood taken (7) not more than 90 days prior to the date of the collection of the semen described in Part I;</p> <p>(b) for equine viral arteritis:</p> <p>(3) <input type="radio"/> [one of the tests described in point II.3.4.2 was last carried out on a sample taken (7) not more than 30 days prior to the date of the collection of the semen described in Part I;]</p> <p>(3) <input type="radio"/> or [one of the tests described in point II.3.4.2.2 was carried out on an aliquot of the entire semen of the donor stallion taken (7) not more than 6 months prior to the date of the collection of the semen described in Part I and a blood sample taken (7) from the donor stallion during the 6 months period reacted with a positive result in a serum neutralisation test for equine viral arteritis at a serum dilution of more than one in four;]</p> <p>(c) for contagious equine metritis, one of the tests described in point II.3.4.3 was last carried out on three specimens (swabs) taken (7) not more than 60 days prior to the date of the collection of the semen described in Part I:</p> <p>(3) <input type="radio"/> [on two occasions at least 7 days apart;]</p> <p>either</p> <p>(3) <input type="radio"/> or [on a single occasion and subjected to a PCR or real-time PCR.]]</p> <p>(6) <input type="checkbox"/> The donor stallion does not meet the conditions set out in points 1.6(a) and (b) of Chapter II of Annex D [II.3.5.3. to Directive 92/65/EEC and the semen is collected for trade in frozen semen.</p> <p>The tests described in points II.3.4.1, II.3.4.2 and II.3.4.3 were carried out on samples taken (7) from the donor stallion at least once a year at the beginning of the breeding season,</p> <p>and the tests described in points II.3.4.1 and II.3.4.3 were carried out on samples taken (7) from the donor stallion during the storage period of the semen of a minimum period of 30 days from the date of the collection of the semen and before the semen is removed from the semen collection centre, not less than 14 days and not more than 90 days after the collection of the semen described in Part I,</p> <p>and (3) <input type="radio"/> [the tests for equine viral arteritis described in point II.3.4.2 were carried out on samples taken (7) during the storage period of the semen of a minimum period of 30 days from the date of the collection of the semen and before the semen is removed from the semen collection centre or used, not less than 14 days and not more than 90 days after the collection of the semen described in Part I.]</p> <p>either</p> <p>(3) <input type="radio"/> or [the non-shedder state of a donor stallion seropositive for equine viral arteritis was confirmed by virus isolation test, PCR or real-time PCR carried out with a negative result on samples of an aliquot of the entire semen of the donor stallion taken (7) twice a year at an interval of at least 4 months and the donor stallion reacted with a positive result at a serum dilution of at least one in four in a serum neutralisation test for equine viral arteritis.]]</p> <p>II.3.6. underwent the testing provided for in point II.3.5 on samples taken on the following dates.</p> <table border="1" data-bbox="271 2004 1220 2072"> <thead> <tr> <th>Identificat ion of</th> <th>Test programm</th> <th>Start date(7)</th> <th>Date of sampling for health tests(7)</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Identificat ion of	Test programm	Start date(7)	Date of sampling for health tests(7)			
Identificat ion of	Test programm	Start date(7)	Date of sampling for health tests(7)					

<b>Part II: Certification</b>	II. Health information		
	<p style="margin-left: 40px;">semen e</p> <p style="margin-left: 80px;">Donor residence      Semen collection      EIA II.3.4.1.      EVA II.3.4.2.      Blood sample      Semen sample      CEM II.3.4.3.      1. sample      2. sample</p>		
	<p>(3) <input type="radio"/> either [II.4. No antibiotics were added to the semen;]</p> <p>(3) <input type="radio"/> or [II.4. The following antibiotic or combination of antibiotics was added to produce a concentration in the final diluted semen of not less than (8): ;]</p> <p>II.5. The semen described in Part I was:</p> <p>II.5.1. collected, processed, stored and transported under conditions which comply with the requirements of Chapters II(I)(1) and III(I) of Annex D to Directive 92/65/EEC;</p> <p>II.5.2. in the case of frozen semen, stored for a minimum period of 30 days from the date of collection of the semen;</p> <p>II.5.3. sent to the place of loading in a sealed container in accordance with point 1.4 of Chapter III(I) of Annex D to Directive 92/65/EEC and bearing the number indicated in box I.19;</p> <p>II.5.4. is dispatched from:</p> <p>(3) <input type="radio"/> either [a semen collection centre or a zone not subject to movement restrictions affecting equine animals and established for reasons of listed diseases relevant for those species or diseases subject to emergency measures relevant for those species, or those restrictions do not apply to this semen because it was collected before the restrictions were established, and the semen has not been in contact with other semen of a lower health status for an adequate period.]</p> <p>(3) <input type="radio"/> or [a semen collection centre or a zone subject to movement restrictions affecting equine animals and established for (9), but derogations from movement restrictions have been granted, and:</p> <p>(3) <input type="checkbox"/> [it complies with the requirements set out in (10);]</p> <p>(3) <input type="checkbox"/> [and in particular, it is (11).]</p> <p>Notes</p> <p>In accordance with the Agreement on the withdrawal of the United Kingdom of Great Britain and Northern Ireland from the European Union and the European Atomic Energy Community, and in particular Article 5(4) of the Protocol on Ireland/Northern Ireland in conjunction with Annex 2 to that Protocol, references to the Union in this</p>		

Part II: Certification	II. Health information																
	<p>animal health certificate include the United Kingdom in respect of Northern Ireland.</p> <p>This animal health certificate shall be completed in accordance with the notes for the completion of certificates provided for in Chapter 2 of Annex I to Commission Implementing Regulation (EU) 2020/2235.</p> <p>Part I:</p> <p>Box reference I.11: Place of dispatch shall correspond to the semen collection centre of origin of the semen.</p> <p>Box reference I.12: Place of destination shall correspond to the semen collection or storage centre or to the holding of semen destination.</p> <p>Box reference I.19: Seal number shall be indicated.</p> <p>Box reference I.26: Total number of packages shall correspond to the number of containers.</p> <p>Box reference I.30: The donor identity shall correspond to the official identification of the animal.</p> <p>The date of collection shall be indicated in the following format: dd/mm/yyyy.</p>																
Part II:																	
Guidance for the completion of the table in point II.3.6:																	
Abbreviations:																	
<p>EIA-1 Equine infectious anaemia (EIA) testing first occasion</p> <p>EIA-2 EIA testing second occasion</p> <p>EVA-B1 Equine viral arteritis (EVA) testing on blood sample first occasion</p> <p>EVA-B2 EVA testing on blood sample second occasion</p> <p>EVA-S1 EVA testing on semen sample first occasion</p> <p>EVA-S2 EVA testing on semen sample second occasion</p> <p>CEM-11 Contagious equine metritis (CEM) testing first occasion first sample</p> <p>CEM-12 CEM testing first occasion second sample taken 7 days after CEM-11</p> <p>CEM-21 CEM testing second occasion first sample</p> <p>CEM-22 CEM testing second occasion second sample taken 7 days after CEM-21</p>																	
Instructions:																	
<p>For each semen identification in column A of the table in the example below, the test programme (points II.3.5.1, II.3.5.2 and/or II.3.5.3) shall be described in column B of the table and columns C and D of the table shall be completed with the dates required.</p>																	
<p>The dates when samples were taken for laboratory testing prior to the first collection of the semen described in Part I, as required by points II.3.5.1, II.3.5.2 and II.3.5.3, shall be entered in the upper line of columns 5 to 9 of the table, this being the boxes marked with EIA-1, EVA-B1 or EVA-S1 and CEM-11 and CEM-12 in the example below.</p>																	
<p>The dates when samples were taken for repeat laboratory testing as required in accordance with point II.3.5.2 or II.3.5.3 shall be entered in the lower line of columns 5 to 9 of the table, this being the boxes EIA-2, EVA-B2 or EVA-S2 and CEM-21 and CEM-22 in the example below.</p>																	
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;">Identificat ion of semen</th> <th style="width: 15%;">Test programm e</th> <th style="width: 15%;">Start date(7)</th> <th colspan="4" style="width: 55%;">Date of sampling for health tests(7)</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">Donor residence</td> <td style="text-align: center;">Semen collection</td> <td style="text-align: center;">EIA II.3.4.1.</td> <td style="text-align: center;">EVA II.3.4.2. Blood</td> <td style="text-align: center;">Semen</td> <td style="text-align: center;">CEM II.3.4.3. 1. sample</td> <td style="text-align: center;">2. sample</td> </tr> </tbody> </table>				Identificat ion of semen	Test programm e	Start date(7)	Date of sampling for health tests(7)				Donor residence	Semen collection	EIA II.3.4.1.	EVA II.3.4.2. Blood	Semen	CEM II.3.4.3. 1. sample	2. sample
Identificat ion of semen	Test programm e	Start date(7)	Date of sampling for health tests(7)														
Donor residence	Semen collection	EIA II.3.4.1.	EVA II.3.4.2. Blood	Semen	CEM II.3.4.3. 1. sample	2. sample											

II. Health information									
		sample		sample					
A	B	C	D	EIA-1	EVA-B1	EVA-S1	CEM-11	CEM-12	
				EIA-2	EVA-B2	EVA-S2	CEM-21	CEM-22	
<b>Part II: Certification</b>	(1)	Only semen collection centres approved by the competent authority and listed in accordance with Article 11(4) of Directive 92/65/EEC.							
	(2)	OJ L 268, 14.9.1992, p. 54.							
	(3)	Delete if not applicable.							
	(4)	OJ L 192, 23.7.2010, p. 1.							
	(5)	OJ L 165, 30.4.2004, p. 1.							
	(6)	Cross out the programme(s) that do(es) not apply to the consignment.							
	(7)	Insert date in the table in point II.3.6 (follow guidance in Part II of the Notes).							
	(8)	Insert names and concentrations.							
	(9)	Insert the name of the disease(s).							
	(10)	Insert the specific reference to the article(s), title, and number of the relevant legal act(s) adopted by the Commission providing for those requirements.							
	(11)	Insert the specific attestation(s) provided for in and required by the relevant legal act(s) adopted by the Commission, as referred to in Article 159(2), points (a), (b) and (c), of Regulation (EU) 2016/429 of the European Parliament and of the Council.							
Certifying Officer/Official veterinarian									
Name (in capital letters)				Qualification and title					
Date of declaration				Signature					
Stamp									